

#### LIQUID WRENCH PENETRANT

SDS Preparation Date (mm/dd/yyyy): 03/31/2023

L106C, L112C, L112/6C Page 1 of 9

### SAFETY DATA SHEET

#### SECTION 1. IDENTIFICATION

Product identifier used on the label

: LIQUID WRENCH PENETRANT

Product Code(s) : L106C, L112C, L112/6C Recommended use of the chemical and restrictions on use

: Multi-purpose penetrating oil (aerosol). Restriction on use: None known

Chemical family : Mixture of : Propellant; Aromatic Hydrocarbon; aliphatic glycol ether

Manufacturer/Importer/Supplier/Distributor Information:

Company name Blaster LLC

Address 8500 Sweet Valley Drive

Valley View, Ohio 44125 - USA

**Telephone** (216)901-5800

(800)858-6605 (Canada)

Website www.blastercorp.com

Emergency phone number : Chemtrec (800) 424-9300

### SECTION 2. HAZARDS IDENTIFICATION

#### Classification of the chemical

Clear light yellow. aerosol .Pleasant odour.

#### Most important hazards:

Extremely flammable aerosol May be ignited by open flames and sparks. Contents under pressure. Container may explode if heated. Aspiration hazard. Can enter the lungs and cause damage. Occupational exposure to the substance or mixture may cause adverse effects. Refer also to TOXICOLOGICAL INFORMATION (Section 11). Toxic to aquatic life with long lasting effects. Avoid release to the environment. See Section 12 for more environmental information.

This product is packaged and sold as a consumer product. The Hazardous Products Act (HPA) and Hazardous Products Regulations (HPR) do not apply to manufactured articles [Hazardous Products Act Section 12(i)]. The below WHMIS 2015 classification and labeling information is being provided for informational purposes.

This material is classified as hazardous under Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Flammable Aerosol - Category 1 Gases under pressure Aspiration Toxicity - Category 1

#### Label elements

Hazard pictogram(s)







Signal Word

DANGER!

Hazard statement(s)

Extremely flammable aerosol

Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways.

Precautionary statement(s)

L106C, L112C, L112/6C Page 2 of 9

#### SAFETY DATA SHEET

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local regulation.

#### Other hazards

Other hazards which do not result in classification: Toxic fumes may be released during a fire. Direct eye contact may cause slight or mild, transient irritation. Direct skin contact may cause slight or mild, transient irritation.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Common name and synonyms	<u>CAS#</u>	Concentration(% by weight)
Hydrotreated light petroleum distillates	Distillates (petroleum), hydrotreated light	64742-47-8	80.0 - 100.0
Tripropylene glycol methyl ether	[2- (2-methoxymethylethoxy)methyl ethoxy]propanol	25498-49-1	7.0 - 13.0
Carbon dioxide	Carbonic anhydride	124-38-9	1.0 - 5.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret. Note: This product is packaged and sold as a consumer product. The Hazardous Products Act (HPA) does not apply to consumer products [Hazardous Products Act Section 12(j)].

#### SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

*Ingestion*: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do not

induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.

Inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. If

breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. If symptoms develop, seek medical attention.

Skin contact: IF ON SKIN: Wash with plenty of soap and water. If irritation persists, seek prompt medical attention. Wash contaminated clothing before reuse.

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Flush eyes with water for at least 15

minutes. If irritation persists, seek prompt medical attention.

#### Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

# Indication of any immediate medical attention and special treatment needed

: Immediate medical attention is required. Aspiration hazard Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Provide general supportive measures and treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing media**

Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

L106C, L112C, L112/6C SDS Preparation Date (mm/dd/yyyy): 03/31/2023

Page 3 of 9

#### SAFETY DATA SHEET

: Extremely flammable aerosol May be ignited by open flames and sparks. Contains gas under pressure; may explode if heated. Vapours are heavier than air and collect in confined and low-lying areas. Material will float on water and can be re-ignited at the water's surface. This product is contained under pressure, and could explode when exposed to heat and flame.

#### **Hazardous combustion products**

Carbon oxides; Nitrogen oxides (NOx); Boron oxides.; Aldehydes; Hydrocarbons; Hydrogen fluoride; Fluorinated products.; Other unidentified organic compounds.

### Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Normal protective clothing (bunker gear) may not be adequate. A full-body encapsulating chemical protective suit may be necessary.

#### Special fire-fighting procedures

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Shield personnel to protect from venting or rupturing containers. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

: All persons dealing with the clean-up should wear the appropriate personal protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up.

#### **Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. Methods and material for containment and cleaning up

: Ventilate the contaminated area. Stop the flow of material, if this is without risk. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Use only non-sparking tools.

# SECTION 7. HANDLING AND STORAGE

# Precautions for safe handling

: Use only outdoors or in a well-ventilated area. Wear suitable protective equipment during handling. Wear protective gloves and eye/face protection. Avoid breathing mist or spray. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with incompatible materials. Always replace cap after use. Wash thoroughly after handling.

### Conditions for safe storage

Store in a cool, dry, well-ventilated area. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area. Have appropriate fire extinguishers and spill clean-up equipment in or near storage area. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F. Keep away from incompatibles.

: Strong oxidizing agents; Bases; Acids Incompatible materials

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:		
Chemical Name	ACGIH TLV	OSHA PEL
	TWA STEL	PEL STEL

L106C, L112C, L112/6C Page 4 of 9

SDS Preparation Date (mm/dd/yyyy): 03/31/2023

### SAFETY DATA SHEET

Hydrotreated light petroleum distillates	200 mg/m³ (as total hydrocarbon vapour)	N/Av	N/Av	N/Av
Tripropylene glycol methyl ether	N/Av	N/Av	N/Av	N/Av
Carbon dioxide	5000 ppm	30 000 ppm	5000 ppm (9000 mg/m³)	N/Av

# **Exposure controls**

Ventilation and engineering measures

: Use only outdoors or in a well-ventilated area. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

**Respiratory protection**: If airbourne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Refer to CSA Z94.3 or other appropriate standards.

Advice should be sought from respiratory protection specialists.

Skin protection : Wear protective gloves. The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye / face protection : Wear eye/face protection. Wear as appropriate: Safety glasses with side shields

;Tightly fitting safety goggles .

Other protective equipment : Ensure that eyewash stations and safety showers are close to the workstation location.

Other equipment may be required depending on workplace standards.

General hygiene considerations

: Handle in accordance with good industrial hygiene and safety practice. Avoid breathing mist or spray. Do not eat, drink or smoke when using this product. Wash hands thoroughly after using this product, and before eating, drinking or smoking.

Remove and wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear to yellow liquid, contained in a pressurized aerosol can.

Odour : Pleasant odour.

Odour threshold : N/Av
pH : N/Av
Melting/Freezing point : N/Av
Initial boiling point and boiling range

: 160°C (concentrate)

Flash point : 93.3°C (concentrate)
Flashpoint (Method) : Tag closed cup

.

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Extremely flammable aerosol

Lower flammable limit (% by vol.)

: 0.7%

Upper flammable limit (% by vol.)

: 5%

Oxidizing properties : None.

**Explosive properties**: Aerosols are sensitive to mechanical impact. Closed containers are contained under

pressure and may explode if exposed to excess heat for a prolonged period of time.

Vapour pressure : N/Av
Vapour density : N/Av
Relative density / Specific gravity

: 0.89

Solubility in water : Insoluble.

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : Not available.

L106C, L112C, L112/6C Page 5 of 9

### SAFETY DATA SHEET

: N/Av

Absolute pressure of container

: N/Av

Flame projection length : > 45.7 cm, < 100 cm

Other physical/chemical comments

: Chemical heat of combustion: 33.98 kJ/g

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity**: Not normally reactive.

Chemical stability : Stable under normal conditions. Aerosols are sensitive to mechanical impact.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from direct sunlight. Do not use in areas

without adequate ventilation.

Incompatible materials : Strong oxidizing agents; Bases; Acids

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: NO

### **Potential Health Effects:**

### Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Inhalation of mist causes irritation of respiratory system. If mists are inhaled, may cause pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue and unconsciousness.

Sign and symptoms ingestion

Not an expected route of entry under normal conditions of use. However, if the product is sprayed directly into mouth and large amounts of the liquid concentrate are swallowed, it may cause irritation to the mouth, throat and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Sign and symptoms skin

: May cause mild skin irritation. Prolonged contact, may be more irritating. If product is sprayed directly on skin, symptoms of frostbite may be experienced including

numbness, prickling and itching.

Sign and symptoms eyes

May cause mild eye irritation. If product is sprayed directly into the eyes, could cause freezing of the eye.

### **Potential Chronic Health Effects**

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. Repeated or prolonged exposure may result in kidney effects.

SDS Preparation Date (mm/dd/yyyy): 03/31/2023

L106C, L112C, L112/6C
Page 6 of 9

### SAFETY DATA SHEET

**Mutagenicity**: Not expected to be mutagenic in humans.

Carcinogenicity : Contains the following chemicals listed as confirmed animal carcinogens (A3) by ACGIH: Hydrotreated light petroleum distillates Not classifiable as a human

acgin: Hydrotreated light petroleum distillates Not classifiable as a human carcinogen. No components are listed as carcinogens by ACGIH, IARC, OSHA or

NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: Eyes, skin, respiratory system, digestive system, central nervous system. This material

is not classified as hazardous under Canadian WHMIS regulations (Hazardous

Products Regulations) (WHMIS 2015).

Medical conditions aggravated by overexposure

: None known or reported by the manufacturer.

**Synergistic materials**: None known or reported by the manufacturer.

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for

individual ingredient acute toxicity data.

	LC50(4hr)	LD <sub>50</sub>	
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)
Hydrotreated light petroleum distillates	>6.03 mg/L (aerosol)	>5000 mg/kg	>2000 mg/kg
Tripropylene glycol methyl ether	> 50 mg/L (aerosol)	3100 - 3900 mg/kg	15 440 mg/kg
Carbon dioxide	200 000 ppm/2H (141 421 ppm/4H)	N/Ap(gas)	N/Ap(gas)

### Other important toxicological hazards

: May cause central nervous system effects.

#### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

: Toxic to aquatic life with long lasting effects. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains the following substances which are hazardous for the environment: Distillates (petroleum), hydrotreated light

See the following tables for individual ingredient ecotoxicity data.

### Ecotoxicity data:

<u>Ingredients</u>	040 N	Toxicity to Fish			
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor	
Hydrotreated light petroleum distillates	64742-47-8	45 mg/L (Fathead minnow)	N/Av	None.	
Tripropylene glycol methyl ether	25498-49-1	11 619 mg/L (Fathead minnow)	N/Av	None.	
Carbon dioxide	124-38-9	N/Ap	N/Ap	N/Ap	

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h NOEC / 21 day M Fa		M Factor		
Hydrotreated light petroleum distillates	64742-47-8	N/Av	N/Av	N/Av		
Tripropylene glycol methyl ether	25498-49-1	> 10 000 mg/L (Daphnia magna)	N/Av	None.		

L106C, L112C, L112/6C Page 7 of 9

### SAFETY DATA SHEET

N/Ap N/Ap N/Ap
----------------

<u>Ingredients</u>	CAS No	Toxicity to Algae			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor	
Hydrotreated light petroleum distillates	64742-47-8	N/Av	N/Av	N/Av	
Tripropylene glycol methyl ether	25498-49-1	21 010 mg/L/96hr (Green algae)	N/Av	None.	
Carbon dioxide	124-38-9	N/Ap	N/Ap	N/Ap	

#### Persistence and degradability

: The product itself has not been tested.

The following ingredients are considered to be readily biodegradable: Distillates (petroleum), hydrotreated light; Tripropylene glycol monomethyl ether.

Distillates (petroleum), hydrotreated light is considered readily biodegradable, but

failing the 10 day window (OECD).

**Bioaccumulation potential** 

The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	Partition coefficent n-octanol/ater (log Kow)	Bioconcentration factor (BCF)
Hydrotreated light petroleum distillates (CAS 64742-47-8)	5.1-8.8	N/Av
Tripropylene glycol methyl ether (CAS 25498-49-1)	0.309	3.16
Carbon dioxide (CAS 124-38-9)		no bioaccumulation

Mobility in soil

: The product itself has not been tested.

### Other Adverse Environmental effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal** 

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way. Empty containers retain residue and can be dangerous. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

**Methods of Disposal** 

Dispose in accordance with all applicable federal, state, provincial and local regulations.

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1950	AEROSOLS	2.1	none	₹ <u>₹</u>
TDG Additional information		d as LIMITED QUANTITY when transported in containers r g gross mass. Under the TDGR, refer to Section 1.17 for a nption.			

Special precautions for user:

: Appropriate advice on safety must accompany the package. Keep away from heat, sparks and open flame - No smoking.

**Environmental hazards** 

This product meets the criteria for an environmentally hazardous material according to the IMDG Code. See Section 12 for more environmental information.

L106C, L112C, L112/6C Page 8 of 9

# SAFETY DATA SHEET

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

#### SECTION 15 - REGULATORY INFORMATION

SDS Preparation Date (mm/dd/yyyy): 03/31/2023

#### **Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product contains the following substances listed on the NPRI:

Hydrotreated light petroleum distillates (Part 5: Other groups and mixtures)

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

#### **US Federal Information:**

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

# **International Information:**

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Hydrotreated light petroleum distillates	64742-47-8	265-149-8	Present	Present	(9)-1700	KE-12550	Present	No information available.
Tripropylene glycol methyl ether	25498-49-1	247-045-4	Present	Present	(7)-97; (2)-438; (2) -348	KE-23313	Present	May be used as a single component chemical under an appropriate group standard.
Carbon dioxide	124-38-9	204-696-9	Present	Present	(1)-310; (1)-169	KE-04683	Present	HSR001018

#### **SECTION 16. OTHER INFORMATION**

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CSA: Canadian Standards Association HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RTECS: Registry of Toxic Effects of Chemical Substances

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

L106C, L112C, L112/6C Page 9 of 9

#### SAFETY DATA SHEET

References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &
  - Biological Exposure Indices for 2019.
  - 2. International Agency for Research on Cancer Monographs, searched 2019.
  - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2019 (Chempendium, HSDB and RTECs).
  - 4. Safety Data Sheets from manufacturer.
  - 5. US EPA Title III List of Lists June 2019 version.
  - 6. California Proposition 65 List June 2019 version.
  - 7. OECD The Global Portal to Information on Chemical Substances eChemPortal, 2019.

Preparation Date (mm/dd/yyyy)

: 03/31/2023

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

# Prepared for:

Blaster Holdings, LLC 8500 Sweet Valley Drive Valley View, Ohio 44125 USA T (216)901-5800 (US) (800)858-6605 (Canada)

Please direct all enquiries to Blaster Holdings, LLC

#### Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



### **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Blumenthal Brands Integrated, LLC and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc., Blumenthal Brands Integrated, LLC and B'laster Holdings, LLC expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and B'laster Holdings, LLC.

END OF DOCUMENT