

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **LIQUID WRENCH CHAIN & CABLE LUBE WITH MOLY**

Product Code(s) : L712C

Recommended use of the chemical and restrictions on use

: Lubricant for all industrial, farming, cycle, and ATV chains and wire cable (aerosol).
Restrictions on use: Not available.

Chemical family : Mixture of: Petroleum distillates; Solvent; Propellant; Viscosity control agent; Corrosion inhibitor

Manufacturer/Importer/Supplier/Distributor Information:

Blumenthal Brands Integrated, LLC
600 Radiator Rd.
Indian Trail, NC 28079

Website: www.solvewithB.com

Email: sds@solvewithB.com

Customer Service / Technical : (704) 821-7643

Emergency phone number : INFOTRAC (Domestic) (800)-535-5053

: INFOTRAC (International) (352)-323-3500

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Green liquid in pressurized container. Hydrocarbon odour.

Most important hazards:

Extremely flammable aerosol. May be ignited by open flames and sparks. Contents under pressure. Container may explode if heated.

Aspiration hazard. Can enter the lungs and cause damage. Irritating to eyes and skin. Inhalation may cause central nervous system depression. Causes damage to organs through prolonged or repeated exposure. Occupational exposure to the substance or mixture may cause adverse effects. Refer also to TOXICOLOGICAL INFORMATION (Section 11).

Toxic to aquatic life with long lasting effects. Avoid release to the environment. See Section 12 for more environmental information.

This product is packaged and sold as a consumer product. The Hazardous Products Act (HPA) does not apply to consumer products [Hazardous Products Act Section 12(j)]. The below WHMIS 2015 classification and labeling information is being provided for informational purposes.

This material is classified as hazardous under Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification:

Flammable aerosol - Category 1

Gases under pressure – Compressed gas

Aspiration toxicity - Category 1

Skin corrosion/irritation - Category 2

Eye damage/irritation - Category 2A

Specific target organ toxicity, single exposure - Category 3 (Narcotic effects)

Specific target organ toxicity, repeated exposure - Category 1

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

SAFETY DATA SHEET

Hazard statement(s)

Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.
May be fatal if swallowed and enters airways.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Causes damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Do not breathe mist or vapour.
Wash exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves and eye/face protection.

Get medical advice/attention if you feel unwell.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Toxic fumes may be released during a fire. Direct eye contact may cause slight redness. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Aliphatic Hydrocarbon Solvent <i>This material is a mixture of the following chemicals:</i>			30.0 - 60.0
Distillates (petroleum), hydrotreated light	Hydrotreated kerosene	64742-47-8	
Solvent naphtha (petroleum) heavy aliphatic	Heavy aliphatic solvent naphtha	64742-96-7	
Mineral spirits <i>This material is a mixture of the following chemicals:</i>			10.0 - 30.0
stoddard solvent	Mineral spirits White spirit	8052-41-3	
Naphtha (petroleum), hydrotreated heavy	Odorless mineral spirits Hydrotreated heavy naphtha	64742-48-9	
Solvent naphtha (petroleum), medium aliphatic	White spirit stoddard solvent	64742-88-7	

SAFETY DATA SHEET

Diethylene glycol monobutyl ether	2-(2-Butoxyethoxy)ethanol DEGBE	112-34-5	3.0 - 7.0
Carbon Dioxide	Carbonic anhydride	124-38-9	1.0 - 5.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

Note: This product is packaged and sold as a consumer product. The Hazardous Products Act (HPA) does not apply to consumer products [Hazardous Products Act Section 12(j)].

SECTION 4. FIRST-AID MEASURES**Description of first aid measures**

- Ingestion* : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
- Inhalation* : IF INHALED: Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stops, provide artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.
- Skin contact* : IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Flush eyes with water for at least 15 minutes. If eye irritation persists: get medical advice/attention.

Most important symptoms and effects, both acute and delayed

- May be fatal if swallowed and enters airways. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Causes skin irritation. Contact may cause redness, swelling and a painful sensation. Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis.
- May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.
- Causes damage to organs through prolonged or repeated exposure. May result in irreversible neurological symptoms such as problems with memory, visuospatial skills (e.g. depth perception), fatigue, muscle control, peripheral nerves (e.g. tingling in the hands and feet), and seizures.
- Mild respiratory irritant. May cause coughing and breathing difficulties.
- Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).
- Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

Indication of any immediate medical attention and special treatment needed

- Immediate medical attention is required. Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Provide general supportive measures and treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

SECTION 5. FIRE-FIGHTING MEASURES**Extinguishing media**

- Suitable extinguishing media* : Carbon dioxide (CO₂); Dry chemical; Alcohol resistant foam; Water fog.
- Unsuitable extinguishing media* : Do not use a solid water stream as it may scatter and spread fire.

SAFETY DATA SHEET

Special hazards arising from the substance or mixture / Conditions of flammability

- : Extremely flammable aerosol. May be ignited by open flames and sparks. Contains gas under pressure; may explode if heated. Vapours may be heavier than air and may collect in confined and low-lying areas. Material will float on water and can be re-ignited at the water's surface. This product is contained under pressure, and could explode when exposed to heat and flame.

Hazardous combustion products

- : Carbon oxides; Reactive hydrocarbons; Aldehydes; Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Shield personnel to protect from venting or rupturing containers. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

- : Prevent product from entering drains, sewers, waterways and soil. Avoid release to the environment.

Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools and equipment in the clean-up process. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Do not use combustible absorbents, such as sawdust. Keep in properly labelled containers. Notify the appropriate authorities as required. Refer to Section 13 for disposal of contaminated material.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use only outdoors or in a well-ventilated area. Wear suitable protective equipment during handling. Wear protective gloves and eye/face protection. Do not breathe mist or vapour. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Keep away from incompatibles. Always replace cap after use. Wash thoroughly after handling.

Conditions for safe storage

- : Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking. Have appropriate fire extinguishers and spill clean-up equipment in or near storage area. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F. Keep away from incompatibles.

Incompatible materials

- : Strong oxidizing agents; Strong acids; Strong bases; Reactive metals

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Distillates (petroleum), hydrotreated light	200 mg/m ³ (as total hydrocarbon vapour) (skin)	N/Av	N/Av	N/Av
Solvent naphtha (petroleum) heavy aliphatic	N/Av	N/Av	500 ppm (2000 mg/m ³) (as petroleum distillates, naphtha)	N/Av
stoddard solvent	100 ppm	N/Av	500 ppm (2900 mg/m ³)	N/Av
Naphtha (petroleum), hydrotreated heavy	N/Av	N/Av	N/Av	N/Av
Solvent naphtha (petroleum), medium aliphatic	N/Av	N/Av	500 ppm (2000 mg/m ³) (as petroleum distillates, naphtha)	N/Av
Diethylene glycol monobutyl ether	10 ppm (inhalable) (vapor)	N/Av	N/Av	N/Av
Carbon Dioxide	5000 ppm	30 000 ppm	5000 ppm (9000 mg/m ³)	N/Av

Exposure controls**Ventilation and engineering measures**

- : Use only outdoors or in a well-ventilated area. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

- : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Refer to CSA Z94.3 or other appropriate standards. Advice should be sought from respiratory protection specialists.

Skin protection

- : Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Depending on conditions of use, an impervious apron should be worn. Wear sufficient clothing to prevent skin contact.

Eye / face protection

- : Wear eye/face protection. Wear as appropriate: Safety glasses with side shields; Tightly fitting safety goggles. A full face shield may also be necessary.

Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations:

- : Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Green liquid in pressurized container.
- Odour** : Hydrocarbon odour.
- Odour threshold** : N/Av
- pH** : N/Av
- Melting/Freezing point** : Melting point: P/D
Freezing point: - 70°C (- 94°F) (estimation)
- Initial boiling point and boiling range** : 157°C (315°F)

SAFETY DATA SHEET

Flash point : 61.1°C (142°F) (estimated)
Flashpoint (Method) : closed cup
Evaporation rate (BuAe = 1) : > 1 (butyl acetate = 1)
Flammability (solid, gas) : Not applicable.
Lower flammable limit (% by vol.) : 0.7% (estimation)
Upper flammable limit (% by vol.) : 6.0% (estimation)
Oxidizing properties : None known.
Explosive properties : Aerosols are sensitive to mechanical impact. Closed containers are contained under pressure and may explode if exposed to excess heat for a prolonged period of time.
Vapour pressure : 0.53 hPa (estimated)
Vapour density : > 1 (Air = 1)
Relative density / Specific gravity: Relative density: 834 kg/m³
Specific gravity: 0.834 (estimated)
Solubility in water : Insoluble.
Other solubility(ies) : N/Av
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution : N/Av
Auto-ignition temperature : N/Av
Decomposition temperature : N/Av
Viscosity : 6 mm²/sec @ 40°C
Volatiles (% by weight) : 23.32% (estimated)
Volatile organic Compounds (VOC's) : N/Av
Absolute pressure of container : N/Av
Flame projection length : 0 cm
Other physical/chemical comments : Chemical heat of combustion: 31.99 kJ/g (estimated)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Hazardous polymerization does not occur.
Conditions to avoid : Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.
Incompatible materials : Strong oxidizing agents; Strong acids; Strong bases; Reactive metals
Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption : NO

SAFETY DATA SHEET**Potential Health Effects:****Signs and symptoms of short-term (acute) exposure***Sign and symptoms Inhalation*

- : CNS depression may result from exposure. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue and unconsciousness.

Sign and symptoms ingestion

- : May be fatal if swallowed and enters airways. Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

Sign and symptoms skin

- : May cause moderate to severe skin irritation. Contact may cause redness, swelling and a painful sensation.

Sign and symptoms eyes

- : Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis.

Potential Chronic Health Effects

- : Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

Mutagenicity

- : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

- : Not classifiable as a human carcinogen. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

- : This product is not expected to cause reproductive or developmental effects.

Sensitization to material

- : No data available to indicate product or components may be respiratory sensitizers. No data available to indicate product or components may be skin sensitizers.

Specific target organ effects

- : This material is classified as hazardous under Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:
Specific target organ toxicity, single exposure - Category 3. May cause drowsiness or dizziness.

Specific target organ toxicity, repeated exposure - Category 1. Causes damage to organs through prolonged or repeated exposure. Contains: Stoddard solvent. May result in irreversible neurological symptoms such as problems with memory, visuospatial skills (e.g. depth perception), fatigue, muscle control, peripheral nerves (e.g. tingling in the hands and feet), and seizures.

Medical conditions aggravated by overexposure

- : Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials

- : None known or reported by the manufacturer.

Toxicological data

- : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC₅₀ (4hr)</u>		<u>LD₅₀</u>	
	<u>inh.</u>	<u>rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Aliphatic Hydrocarbon Solvent				
<i>This material is a mixture of the following chemicals:</i>				
Distillates (petroleum), hydrotreated light	> 5.2 mg/L (aerosol) (No mortality)		> 5000 mg/kg	> 2000 mg/kg (No mortality)
Solvent naphtha (petroleum) heavy aliphatic	> 5.2 mg/L (mist) (No mortality) (Read-across)		> 5000 mg/kg	> 2000 mg/kg (No mortality)

SAFETY DATA SHEET

Mineral spirits <i>This material is a mixture of the following chemicals:</i>			
stoddard solvent	> 5.5 mg/L (vapour)	> 5000 mg/kg	> 3000 mg/kg
Naphtha (petroleum), hydrotreated heavy	> 5.04 mg/L (vapour)	> 7000 mg/kg	> 2000 mg/kg (No mortality)
Solvent naphtha (petroleum), medium aliphatic	> 5.5 mg/L (vapour)	> 5000 mg/kg (No mortality)	> 2000 mg/kg (No mortality)
Diethylene glycol monobutyl ether	N/Av	6560 mg/kg	2764 mg/kg
Carbon Dioxide	200 000 ppm/2H (141 421 ppm/4H)	N/Ap (gas)	N/Ap (gas)

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : Toxic to aquatic life with long lasting effects. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains the following substances which are hazardous for the environment:
Aliphatic hydrocarbon; Mineral spirits.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Distillates (petroleum), hydrotreated light	64742-47-8	20 mg/L (Rainbow trout) (Read-across)	N/Av	None.
Solvent naphtha (petroleum) heavy aliphatic	64742-96-7	2 - 5mg/L (Rainbow trout)	0.098 mg/L/28-day (QSAR)	None.
stoddard solvent	8052-41-3	2.1 - 4.2 mg/L (Bluegill sunfish)	N/Av	None.
Naphtha (petroleum), hydrotreated heavy	64742-48-9	8.2 mg/L (Fathead minnow)	N/Av	None.
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	2 - 5 mg/L (Rainbow trout)	0.098 mg/L/28-day (QSAR) (NOEL)	None.
Diethylene glycol monobutyl ether	112-34-5	1300 mg/L (Bluegill sunfish)	N/Av	None.
Carbon Dioxide	124-38-9	N/Ap	N/Ap	N/Ap

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Distillates (petroleum), hydrotreated light	64742-47-8	40 - 89 mg/L (Daphnia magna) (Read-across)	0.48 mg/L (Read-across)	None.
Solvent naphtha (petroleum) heavy aliphatic	64742-96-7	1.4 mg/L (Daphnia magna)	0.48 mg/L	None.
stoddard solvent	8052-41-3	0.42 - 2.3 mg/L (Daphnia magna)	0.1 - 0.37 mg/L	None.
Naphtha (petroleum), hydrotreated heavy	64742-48-9	32 mg/L (Daphnia magna)	6.3 mg/L	None.

SAFETY DATA SHEET

Solvent naphtha (petroleum), medium aliphatic	64742-88-7	1.4 mg/L (Daphnia magna)	0.48 mg/L (QSAR) (NOEL)	None.
Diethylene glycol monobutyl ether	112-34-5	> 100 mg/L (Daphnia magna)	N/Av	None.
Carbon Dioxide	124-38-9	N/Av	N/Av	N/Av

Ingredients	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Distillates (petroleum), hydrotreated light	64742-47-8	6.2 mg/L/96hr (Green algae) (Read-across)	0.4 mg/L/96hr (Read-across)	None.
Solvent naphtha (petroleum) heavy aliphatic	64742-96-7	5 - 6.2 mg/L/96hr (Green algae)	0.4 - 6.2 mg/L/96hr	None.
stoddard solvent	8052-41-3	0.58 - 1.2 mg/L/72hr (Green algae)	0.16 mg/L/72hr	None.
Naphtha (petroleum), hydrotreated heavy	64742-48-9	45 mg/L/96hr (Green algae)	18 mg/L/96hr	None.
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	1 - 3 mg/L/72hr (Green algae)	1 mg/L/72hr (Green algae) (NOEL)	None.
Diethylene glycol monobutyl ether	112-34-5	> 100 mg/L/96hr (Green algae)	≥ 100 mg/L/96hr	None.
Carbon Dioxide	124-38-9	N/Av	N/Av	N/Av

Persistence and degradability

- : The product itself has not been tested.
The following ingredients are considered to be readily biodegradable: Diethylene glycol monobutyl ether; Aliphatic hydrocarbon.
Contains the following chemicals which are considered to be inherently biodegradable: Mineral spirits.

Bioaccumulation potential

- : The product itself has not been tested. See the following data for ingredient information.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	5.1 - 8.8	N/Av
stoddard solvent (CAS 8052-41-3)	3.16 - 7.06	N/Av
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	2.1 - 6 (calculated)	10 - 2500 (calculated)
Solvent naphtha (petroleum), medium aliphatic (CAS 64742-88-7)	3.7 - 6.7	142 - 11,430 (Fish) (calculated)
Diethylene glycol monobutyl ether (CAS 112-34-5)	1.0	3.0

Mobility in soil

- : The product itself has not been tested.

Other Adverse Environmental effects


- : No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SAFETY DATA SHEET

SECTION 13. DISPOSAL CONSIDERATIONS

- Handling for Disposal** : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way.
Empty containers retain residue and can be dangerous. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
- Methods of Disposal** : Dispose of in accordance with federal, provincial and local hazardous waste laws.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1950	AEROSOLS	2.1	None	
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Under the TDG, refer to Section 1.17 for additional exemption requirements, if shipping under this exemption.				

- Special precautions for user** : Appropriate advice on safety must accompany the package. Keep away from heat, sparks and open flame. - No smoking.
- Environmental hazards** : This product meets the criteria for an environmentally hazardous material according to the IMDG Code. See Section 12 for more environmental information.
- Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
: Not applicable.

SECTION 15 - REGULATORY INFORMATION

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product contains the following substances listed on the NPRI:

Distillates (petroleum), hydrotreated light (Part 5: Other groups and mixtures)
stoddard solvent (Part 5: Other groups and mixtures)
Naphtha (petroleum), hydrotreated heavy (Part 5: Other groups and mixtures)
Solvent naphtha (petroleum), medium aliphatic (Part 5: Other groups and mixtures)
Diethylene glycol monobutyl ether (Part 5: Other groups and mixtures)

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
Distillates (petroleum), hydrotreated light	64742-47-8	265-149-8	Present	Present	(9)-1700	KE-12550	Present	May be used as a single component chemical under an appropriate group standard.

SAFETY DATA SHEET

Solvent naphtha (petroleum) heavy aliphatic	64742-96-7	265-200-4	Present	Present	Not listed	KE-31655	Present	May be used as a single component chemical under an appropriate group standard.
stoddard solvent	8052-41-3	232-489-3	Present	Present	(9)-1702; (9)-1702	KE-32199	Present	HSR001498
Naphtha (petroleum), hydrotreated heavy	64742-48-9	265-150-3	Present	Present	(9)-1690	KE-25622	Present	May be used as a single component chemical under an appropriate group standard.
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	265-191-7	Present	Present	(9)-1700	KE-31664	Present	May be used as a single component chemical under an appropriate group standard.
Diethylene glycol monobutyl ether	112-34-5	203-961-6	Present	Present	(7)-97; (2)-422	KE-10466	Present	HSR001075
Carbon Dioxide Propellant	124-38-9	204-696-9	Present	Present	(1)-310; (1)-169	KE-04683	Present	HSR001018

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
AICS: Australian Inventory of Chemical Substances
CAS: Chemical Abstract Services
CSA: Canadian Standards Association
EC50: Effective Concentration 50%
EINECS: European Inventory of Existing Commercial chemical Substances
ENCS: Existing and New Chemical Substances
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IBC: Intermediate Bulk Container
IECSC: Inventory of Existing Chemical Substances
IMDG: International Maritime Dangerous Goods
IOC: Inventory of Chemicals
KECI: Korean Existing Chemicals Inventory
KECL: Korean Existing Chemicals List
LC: Lethal Concentration
LD: Lethal Dose
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NOEC: No observable effect concentration
NTP: National Toxicology Program
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
PICCS: Philippine Inventory of Chemicals and Chemical Substances
RTECS: Registry of Toxic Effects of Chemical Substances
SCBA: Self-Contained Breathing Apparatus
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

SAFETY DATA SHEET


- References**
- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.
 - 2. International Agency for Research on Cancer Monographs, searched 2018.
 - 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
 - 4. Material Safety Data Sheets from manufacturer.
 - 5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2018.

Preparation Date (mm/dd/yyyy)

: 03/25/2020

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p><u>Prepared for:</u></p> <p>Blumenthal Brands Integrated, LLC 600 Radiator Rd Indian Trail, NC 28079 Telephone: (704) 821-7643 (Mon. - Fri., 8 AM - 5 PM) Please direct all enquiries to Blumenthal Brands, LLC</p>	
<p><u>Prepared by:</u></p> <p>ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Blumenthal Brands Integrated, LLC and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Blumenthal Brands Integrated, LLC expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Blumenthal Brands Integrated, LLC.

END OF DOCUMENT