DISINFECTANT 100345

IN-CIDE

Disinfectant, Cleaner, Mildewstat, Fungicide, Sanitizer Non-Food Contact Surfaces, Virucide*, Deodorizer

This product is a one step ready to use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal*, fungicidal, and will inhibit the growth of mold and mildew and their odors when used as directed. *Kills Pandemic 2009 H1N1 influenza A virus formerly called swine flu. This product is a non-acid bowl and bathroom cleaner, which cleans, disinfects and deodorizes undedoorizes by killing many odor-causing microorganisms and mold and mildew. Its non-abrasive formula is designed for use on non-porous environmental restroom surfaces: glazed ceramic tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

ACTIVE INGREDIENTS:

Alkyl (C₁₄, 50%; C₁₂, 40%; C₁₆, 10%)
dimethyl benzyl ammonium Chloride......

 dimethyl benzyl ammonium chloride
 0.034%

 Octyl Decyl Dimethyl Ammonium Chloride
 0.026%

 pidecyl Dimethyl Ammonium Chloride
 0.013%

 Dioctyl Dimethyl Ammonium Chloride
 0.013%

 INERT INGREDIENTS:
 99.914%

 TOTAL
 100.00%

EPA Reg. No. 10324-85-9367 EPA Est. No. 9367-FL-1



DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. DISINFECTION IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) and NON-MEDICAL FACILITIES (Schools, Restaurants, Food Services, Beverage and Food Processing Plants and Other Non-Medical Facilities): This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces modified in the presence of 5% organic serum and a 10-minute contact time against the following organisms: Burkholderia cepecia, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterobacteriaciae with extended beta-lactamase resistance, Enterobacter cloacae, Enterococcus faecalis, Enterococcus faecium Vancomycin resistant, Escherichia coli, Escherichia coli Antibiotic resistant, Escherichia coli 0157:H7, Klebsiella pneumoniae, Klebsiella pneumoniae Antibiotic resistant, Legionella pneumophila, Listeria monocytogenes, Proteus mirabilis, Proteus vulgaris, Pseudomonas aeruginosa, Pseudomonas aeruginosa Antibiotic resistant, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Shigella flexneri, Shigella sonnei, Staphylococcus aureus, Community Acquired Methicillin Resistant Staphylococcus aureus CA MRSA, Staphylococcus aureus Methicillin resistant, Staphylococcus epidermidis Antibiotic resistant, Streptococcus pyogenes, Vibrio cholerae. VIRUCIDAL* PERFORMANCE: This product was evaluated and found to be effective with a 10-minute contact time against the following viruses on inanimate hard non-porous environmental surfaces: Avian influenza A/Turkey/Wisconsin virus, Avian influenza A virus H5N1, Herpes Simplex Type1 virus, Herpes Simplex Type2 virus, Hepatitis C virus, Hepatitis B virus, Human Coronavirus, Influenza A/Brazil Virus, Influenza A H1N1 virus, Respiratory syncytial virus, Vaccinia virus. This product was evaluated and found to be effective with a 2-minute contact time against the following viruses on inanimate hard non-porous environmental surfaces: HIV-1 AIDS virus. NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective sanitizer with a 5-minute contact time on hard, non-porous environmental surfaces against the following: Enterobacter aerogenes, Klebsiella pneumoniae, Staphylococcus aureus. FUNGICIDAL PERFORMANCE: This product is effective on hard, non-porous surfaces with a 10-minute contact time against the following organisms: Candida albicans, Trichophyton mentagrophytes, Athlete's foot fungus, a cause of Ringworm. DISINFECTION/FUNGICIDAL/VIRUCIDAL* DIRECTIONS: For heavily soiled areas, a preliminary cleaning is required. Apply this product undiluted to walls, floors and other hard, inanimate non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile and glazed porcelain with a brush, cloth, mop, sponge or mechanical spray device so as to thoroughly wet surfaces. If mechanical spray device is used, spray must be coarse. Spray 6-8 inches from surface. Rub with brush, sponge, mop or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes and then let air dry or wipe up excess liquid. Rinse with potable water after use on surfaces that come in contact with food. Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces, such as appliances and kitchen countertops, must be rinsed with potable water. Apply product undiluted and replace if product becomes visibly dirty. Note: With spray applications cover or remove all food products. FOR USE AS A ONE-STEP CLEANER/DISINFECTANT: 1. Pre-clean heavily soiled areas. 2. Apply undiluted solution to hard, non-porous environmental surfaces using a sponge, brush, cloth, mop or mechanical spray device. 3. To disinfect, all surfaces must remain wet for 10 minutes. 4. Wipe surfaces and let air dry. 5. Replace product if it becomes visibly dirty. Note: Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances. *FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A VIRUS: For use in hospitals, hotels, motels and schools, follow the disinfection directions. TO SANITIZE AND DEODORIZE: Apply undiluted solution to hard, inanimate, non-porous surfaces, thoroughly wetting surfaces as required, with a brush, cloth, mop, sponge or mechanical spray device or by immersion. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Rub with brush, sponge, mop or cloth. Do not breathe spray. Let stand for 5 minutes. Then wipe. Allow to air dry. Replace product if it becomes visibly dirty. Note: With spray applications cover or remove all food products. Not for use on medical devices or medical equipment surfaces. *KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 HIV-1 , Hepatitis B virus HBV and Hepatitis C virus HCV. "SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS." Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from surfaces and objects before application of this product. Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. Contact Time: Leave surface wet for 2 minutes with ready-to-use solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required. Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from room or carefully protected. A potable water rinse is required. DIRECTIONS FOR FOOD PROCESSING PLANTS: For use on non-food contact surfaces such as floors, walls, tables, garbage cans and disposal areas. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Follow Disinfection directions. FOR USE AS A CLEANER/DISINFECTANT IN FOOD PROCESSING PLANTS: 1. Before using this product in food processing areas, food products and packaging materials must be removed from the room or carefully protected. 2. Apply ready-to-use solution evenly over surface using a brush, cloth, mop, sponge or mechanical spray device. For sprayer applications, use a coarse spray device. Be sure to wet all surfaces thoroughly. Do not breathe spray. 3. Allow product to remain on surface for 10 minutes. 4. Wipe with clean cloth, sponge or paper towel. 5. For heavily soiled areas, thoroughly clean surface prior to disinfecting. 6. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to clean the following surfaces: utensils, glassware and dishes or interior surfaces of processing equipment. 7. Replace product if it becomes visibly dirty. NON-ACID TOILET BOWL AND URINAL DISINFECTION/CLEANER DIRECTIONS: Remove gross filth prior to disinfection. Remove water from the toilet bowl. Apply 1-2 ounces of ready-to-use solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a brush, cloth, mop, or sponge or mechanical spray device. For sprayer application, use a coarse pump or trigger spray device. Brush or swab thoroughly. Repeat and allow solution to stand for 10 minutes and flush. Refill toilet bowl or urinal with water. MOLD AND MILDEW CONTROL DIRECTIONS: This product will effectively inhibit the growth of mold and mildew Aspergillus niger and their odors on hard, non-porous surfaces. To control the growth of mold and mildew and their odors on hard, non-porous surfaces, apply this ready-to-use product undiluted. Thoroughly wet all treated surfaces completely. Allow surface to remain wet for 10 minutes. Let surface air dry. Repeat application weekly or when growth or odor reappears.

SOLUTIONS FOR A CLEANER WORLD™





DISINFECTANT 100345

IMPORTANT SAFETY INFORMATION:

CAUTION. HAZARDS TO HUMANS AND DOMESTIC ANIMALSCauses moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. PHYSICAL OR CHEMICAL HAZARDS Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE**: Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. **PESTICIDE DISPOSAL**: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **CONTAINER HANDLING DISPOSAL**: Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides. Triple rinse. After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations. **RESIDUE REMOVAL INSTRUCTIONS**: Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.



