



Aerosol Metal, 5.5 oz.
078698217376

Aerosol Metal, 11 oz.
078698137902

Metal Drum, 54 gal.
078698164823

SILICONE SPRAY

M906, M914, M949

LIQUID WRENCH® Heavy Duty Silicone Spray Lubricant waterproofs, rustproofs and lubricates. High dielectric characteristics. For rubber, wood, plastic, vinyl and metal.

APPLICATIONS:

- Provides A Slick Coat Of Protection
- Waterproofs Parts & Stops Rust
- Protects Life of Metal & Non-Metal Surfaces

DIRECTIONS: Spray surfaces lightly. For small area applications, apply silicone to a clean cloth and wipe area to be lubricated. Remove any overspray from floors to avoid slips or falls. Get Material Safety Data Sheet via liquidwrench.com.

STORAGE, HANDLING & DISPOSAL: Do not expose to heat, sparks or flames. Store in a cool, dry area below 120°F/49°C. Do not puncture, crush or incinerate can. Dispose of product, container and residue according to all local, state and federal laws and regulations.

DANGER: FLAMMABLE. FIRE AND EXPLOSION HAZARD: Use only in a well-ventilated area away from heat, sparks, and flames. Do not place container in contact with hot surfaces, batteries or electrical current, because of risk of violent bursting and flash fire. Use added caution in confined areas such as basements and automobile compartments. **Breathing & INGESTION HAZARDS:** INHALING CONCENTRATED VAPORS INTENTIONALLY OR OTHERWISE MAY CAUSE DEATH WITHOUT WARNING. Harmful or fatal if swallowed. **CONTACT HAZARD:** Eye and skin irritant. Prolonged skin contact may cause dermatitis.

FIRST AID: EYE CONTACT: Flush thoroughly with water for 15 minutes while lifting eyelids and get prompt medical attention. **SKIN CONTACT:** Wash with soap and water. If irritation develops, get prompt medical attention. **INHALATION:** Move to fresh air. If breathing becomes difficult, get prompt medical attention. **INGESTION:** DO NOT INDUCE VOMITING. Call Poison Control Center, Physician or Hospital Emergency Room immediately.

KEEP AWAY FROM CHILDREN AND ANIMALS

NOTICE: While this information is presented in good faith and believed to be accurate, Radiator Specialty Company does not guarantee satisfactory results from reliance thereon. The data is offered solely for your information and Radiator Specialty Company disclaims all liability for any loss or damage from its use. Thoroughly test any application according to the product directions and independently conclude satisfactory performance. Nothing contained herein is to be construed as a recommendation to use the product in violation of any patent.